

Application Note 51190 (Revision NEW, 1997)
Original Instructions

I/H to CPC Conversion Kit 9964-544

I/H to CPC Conversion Kit

The CPC Current-to-Pressure Converter replaces previous Woodward I/H converters. The improvements made to the new CPC are:

- High tolerance to oil contaminants
- One model covers a wide range of steam servo systems
- · Significantly fewer parts
- Easy 'on-site' installation and tuning

For exchange and use as a spare, Woodward has developed an I/H to CPC conversion kit. The conversion kit contains:

- The new CPC
- An I/H to CPC adapter plate

A 24 Vdc 100 W power supply is required. This can be included in the conversion kit upon request.



The frequently used 24 Vdc power supply of the Woodward 505 Digital Steam Turbine Control cannot be used to power the CPC.

Generally, existing wiring can be re-used. Please ensure that the power leads are at least 1,5 mm² (16 AWG).

The following I/H converters can be converted to the new CPC, using the conversion kit:

European Design:

Standard I/H 8901-434/-435/-436/-437/-441 Cenelec I/H 9906-083/-084/-085/-086/-090

US Design

Standard I/H 9906-090 UL Listed I/H 9906-153/-154/-155/-156/-160/-206/-207

Parts and Pricing

Product	Part Number
CPC-Standard Version	8901-455
CPC-Cenelec, Eex-d, IIC, T5/T6	9907-477
I/H to CPC Adaptor Plate (European Design)	8920-149
I/H to CPC Adapter Plate (US Design)	8920-159
Optional 24 V Power Supply	1784-369
Powerpack 230 Vac or Powerpack 115 Vac	1784-401


Mounting Instructions


The new adapter plate (see drawing 3689-097) is identical to the old I/H converter base. All existing piping and fittings can be left in place. Reconnect the piping and fittings to the corresponding holes in the new adapter plate.

Mount the new CPC horizontally on the adapter plate.

Further instructions for installation are contained in Chapter 3 of the Woodward CPC manual 89543.


2 Woodward





Obsolete European Design I/H Converter

Obsolete US Design I/H Converter



New CPC with I/H Adapter Block (existing hydraulic tubing left in place)

Other Hydraulic Converters

The CPC is designed to be able to replace the majority of hydraulic converters in the field today. Please contact Woodward for further details.

Please note that custom adapter plates are available.

Contact:

Woodward Governor Netherlands B.V. Hoofdweg 601 2131 BA Hoofddorp The Netherlands

Tel: +31 (0)23 5661111 Fax: +31 (0)23 5636529

Woodward 3

We appreciate your comments about the content of our publications.

Send comments to: icinfo@woodward.com

Please reference publication 51190.



PO Box 1519, Fort Collins CO 80522-1519, USA 1000 East Drake Road, Fort Collins CO 80525, USA Phone +1 (970) 482-5811 • Fax +1 (970) 498-3058

Email and Website—www.woodward.com

Woodward has company-owned plants, subsidiaries, and branches, as well as authorized distributors and other authorized service and sales facilities throughout the world.

Complete address / phone / fax / email information for all locations is available on our website.